



How to use the AIMP Localization Editor


- 1) Execute the AIMPLng.exe
- 2) Create new or open an existing localization in the `*.lng` (for Windows) or `*.xml` (for Android) file format




- 3) Select localization template and click "OK"



4) Fill information about the localization (*Windows version only*)



5) Switch on the "Show Invalid Values Only" option to see "to do" entries



6) Fix all "errors" in the localization

Key	Default Value	Translated Value
AIMP		
✖ Del_bad	Remove missing	
✖ Del_CurRecycle	Physically remove currently playing file	
✖ Key is not translated	Remove all files except selected	
✖ FileFolder	\$MSG->82	\$MSG->82
✖ QueueExFrom	Remove from queue	
✖ RenamePLS	Rename playlist	
✖ SavePls	Save playlist	
AIMPLibMainForm		
✖ miFileFolder	\$MSG->82	\$MSG->82
✖ miMarks	\$MSG->85	\$MSG->85
AIMPLibMainForm.Tables		
✖ iMark	\$MSG->85	\$MSG->85
MSG		
✖ 81	Lyrics:	
✖ 82	File location	
 The Localization contains 22 error(s)		
Move mouse cursor to error glyph to see more information about the error		

Note: Use the "double-click" or "enter" key to start editing translated value. Press "enter" key to save edited value.